



APR 1617

IN THE UNITED STATES PATENT OFFICE

CUSTOMER NO. 23607

Application 09/593,691
Serial No.:

Our Ref: PT1443001

Applicants: George Wu
Paul Y. Tam
Ian W. French

Agent: IVOR M. HUGHES
Suite 200
175 Commerce Valley Drive W.
Thornhill, Ontario L3T 7P6
Canada

Title: BIOCOMPATIBLE AQUEOUS SOLUTION FOR USE IN
CONTINUOUS AMBULATORY PERITONEAL DIALYSIS

Inventors: George Wu
Paul Y. Tam
Ian W. French

Examiner: Shengjun Wang

Group Art Unit: 1617

Due Date: February 19, 2004

**RESPONSE TO OFFICIAL ACTION
DATED NOVEMBER 19, 2004
AMENDMENTS AND REMARKS**

March 9, 2004

The Commissioner of Patents
UNITED STATES PATENT OFFICE
2011 South Clark Place
Customer Window, Mail Stop Patent Application
Crystal Plaza Two, Lobby, Room 1B03
Arlington, Virginia 22202
U.S.A.

Dear Sir:

INTRODUCTORY COMMENTS

In response to the outstanding Official Action dated November 19, 2003, and due for response February 19, 2004, Applicants hereby enclose a Request for a one-month extension of time, with the fee for a small entity of U.S. \$55.00, making this response due **March 19, 2004**. If there is any deficiency or surplusage of the fees enclosed for the Extension of Time, please obtain any such deficiency or credit the surplusage to Deposit Account 08-3255 and advise Applicants' Agent.

Applicants would like to thank the Examiner for the cordial telephone interviews conducted with Applicants' Agent on February 17 and 24, 2004.

Applicants would also like to advise the Examiner that the date of September 15, 2000, indicated on the cover page of the outstanding Office Action as being the filing date of the present application, is incorrect. Please find enclosed herewith a copy of the Official filing receipt for the present application which indicates that the filing date of the present application is, in fact, June 15, 2000.

Applicants hereby request that the following submissions be entered: